

# From Models to Minds: Six Sigma, Digital Twins, AI

From problem-solving to intelligence: powered by KNIME

# Agenda

- 1 ZF Group Introduction
- 2 DMAIC – the backbone of Six Sigma
- 3 KNIME as enabler for each phase
- 4 Outlook – What's next?

# Facts & Figures of the ZF Group



# Financial Overview 2024



**€41.4 billion**  
Sales



**3.6%**  
adjusted  
EBIT margin



**€0.3 billion**  
adjusted free cash  
flow



**161,631**  
Employees



**€3.6 billion**  
Research &  
Development



**€2.3 billion**  
Investments in  
property, plant,  
and equipment

# Key Figures - Locations

161 production locations  
in **30** countries

20 main development locations  
in **10** countries

Global service network with more  
than **20,000** workshop partners


## North America

Locations: 28  
Employees: 34,787



## EMEA

Locations: 80  
Employees: 92,580



## Asia-Pacific

Locations: 45  
Employees: 28,685



## South America

Locations: 8  
Employees: 5,579



**Worldwide Presence – Production,  
Development, Sales and Service**

# ZF USP: Transfer of Technology Expertise Between Different Segments



Electrified  
Powertrain



Chassis  
Solutions



ZF Lifetec



Electronics  
and ADAS



Commercial  
Vehicle Solutions



Industrial  
Technology



Aftermarket

# Six Sigma


Fit for the Future?



# DMAIC the Backbone of Six Sigma

**Six Sigma is a structured methodology for process improvement to**

- understand the process in a mathematical, statistical way ( $y=f(x)+\varepsilon$ )
- reduce variation, improve quality



# Define → Blueprint for Digital Twin


## Clarify problem and scope



Define VOC,  
involved processes  
**and data sources**


Define data sources,  
visualize process &  
data flow

Visualize  
first data  
insights



Output: **Conceptual structure (SIPOC)** of the  
process flow, data sources and scope

# Measure – Traditional Six Sigma Way



Minitab®



# Measure – New Way with KNIME & Data Apps

Connection of various  
different data sources

Automated ETL  
Process

Joined data from  
different sources



Automated data  
quality validation

Process performance  
check

Dashboard / Output  
via Data Apps

# Measure Example: Data Sources

**8.600.000**  
Production data




- 202305 Database May 23.xlsx
- 202306 Database June 23.xlsx
- 202307 Database July 23.xlsx
- 202308 Database Aug 23.xlsx
- 202401 Database Jan 24.xlsx
- 202402 Database Feb 24.xlsx
- 202403 Database Mar 24.xlsx
- 202404 Database April 24.xlsx
- 202405 Database May 24.xlsx

**6000 Reports**  
from CMM Machine





PDF content description: The report is titled 'padmin'. It shows a 3D model of a cylindrical part with various measurement points labeled 'padmin'. The report includes tables for '3D Fix LOCATION OF CYLINDER SAT' and '3D Fix LOCATION OF CYLINDER SAT, More' with columns for 'UNITSMIN', 'UNITSMAX', 'DEVI', 'OUTDEV', 'UNITSMIN', 'UNITSMAX', 'DEVI', and 'OUTDEV'. The text '3D Fix LOCATION OF CYLINDER SAT, 3 positions' is also present.

Field data from  
Customer (Excel)



# Analyse – From Data Exploration to Root Cause



- Dimensional Reduction
- PCA, clustering, and visualization
- Decision tree for prioritisation




# Analyse – From Data Exploration to Root Cause

## Data check:


- Dimensional reduction




- PCA / Clustering



- Parameter prioritisation/  
Decision Tree



DIM DIM\_013= 2D DIS...



# Digital Twin?


A **Digital Twin** is a **virtual model** of a physical object, process, or system. It uses **mathematical models and real-world data** to mirror behavior and performance.

$$Y = f(x's) + \epsilon$$


# Improve – Modeling for Process Understanding

## Create the digital twin, reduce the error

- Create a model for the process
- Simulate before implementation
- Check process parameter specification
- Optimize process output performance




Monte Carlo Simulation  
for optimal setting



# Control – Embed Learnings into the Process

- Continuous data collection and monitoring
- Alerts for deviations and trends
- Visual dashboards for nearly-real-time insight




**Move from static control charts to dynamic, data-driven monitoring**


# Control: Automated Data Visualisation / Data Apps



## Timeline Visualization



## Boxplot from Excel Step 2/2: Data Selection and Specification



# Summary: KNIME as Enabler for Six Sigma

## DMAIC Evolution



- Define → Process Blueprint with real data**  
SIPOC enriched with integrated, real-time data sources
- Measure → Data Accessibility**  
Automated data collection, preparation and visualization
- Analyze → Intelligent Insights**  
Feature selection, reduction & root cause identification
- Improve → Predictive Optimization**  
Virtual scenario testing before implementation
- Control → Sustainable Monitoring**  
Continuous dashboards & alerts for long-term stability

# Outlook – Preparing For Next Level

1

## What's Next?

Agentic AI: Digital Twins become reusable assets for autonomous decision-making  
Today's effort is foundation for tomorrow, not one-time work

2

## Additional skills for Six Sigma experts?

- Data literacy & basic data science
- Simulation & model training

This is about development for Six Sigma experts, not a replacement

3

## What is changing?

Data literacy, simulation & model training are standard practice  
Adopt a new mindset: make predictive tools part of daily operations.

**We're not just improving processes —  
we're building a future-ready system for intelligent automation**



# Thanks for your attention

Andreas Riess  
[andreas.riess@zf.com](mailto:andreas.riess@zf.com)

