



What's Cooking for KNIME at Vernalis?

Steve Roughley

s.roughley@vernalis.com

KNIME Cheminformatics SIG

Leeds, UK


20th May 2015




Current release status

- Version 1.4.0
- New releases since last meeting:
 - Flow control nodes (delays, timed loops, more switches)
 - Read/Write flow variables
 - Matched Pairs
 - Performance Monitoring
- Now stands at 52 nodes in 3 plugins
- Further 79 nodes released internally (and more ongoing)
 - Permission to release ~25 fingerprint related nodes...
 - ...when I find the time to finish tidying and testing

Released nodes – further improvements



- Working on improvements to the MMP nodes
 - Speed and memory use issues with current implementation
 - Duplication of output for multiple cuts, e.g:

- Currently at ~35-fold speed increase for fragmentation
 - Duplication no longer an issue
 - Fewer SMILES \leftrightarrow RDKit conversions
- New nodes for pre-filtering, bond highlighting
- We will release in due course



Benchmarking Nodes

New in v 1.4.0


- Time execution of intervening node(s)
 - Multiple iterations
 - Optional time limit (next iteration doesn't start if already elapsed)
 - Min/Max/Mean iteration time
 - Individual iteration times (1st output table)
 - Last iteration table(s) passed through



Fingerprint nodes

PENDING RELEASE

- BitVector and ByteVector
- Type /format conversions
- Logic operations
- Properties
- Also aggregators (GroupBy, Column combiner nodes)
- Some functionality released by KNIME at around time permission for release obtained
 - “De-duplicate”





What else? - Cheminformatics

- “Speedy SMILES”
 - ~18 nodes for fast processing of SMILES
 - Filters/Splitters, Manipulators (e.g. invert stereochem, desalt), Property calculators (e.g. charges, HAC, chiral centres etc)
 - **FAST:** 1.4m molecules (ChEMBL 19)
 - Desalting - ~14 s
 - Split chiral/non-chiral molecules - ~11 s
 - Heavy Atom Count ~6 seconds
- RDKit co-ordinate manipulations
 - Rotate, Translate
- Fingerprints
 - Ertl Scaffold Keys, Pharmacophore triangles/tetrads (with ph4 cell type added)




Text file loading source nodes

- Complements released Load text-based files manipulator node
- New DefaultDialog component and SettingsModel
 - StringArray, but with flow variable replacement
 - List of files can be passed via flow variable without the flow variables tab ‘Array problem’
- Also available in other ‘flavours’:



What else? (1)

- More PDB webservice queries
 - SMILES HET query (see
<http://www.rcsb.org/pdb/software/rest.do#smiles>)
 - ‘Describe heterogens’ query (see
<http://www.rcsb.org/pdb/software/rest.do#descComp>)



What else?

- Utility nodes
 - Garbage collector calls System.gc()

Get Environment Variables



Environment Variables - 0:54 - Get Environment Variables

Table "default" - Rows: 47 Spec - Columns: 2 Properties Flow Variables		
Row ID	S Name	S Value
1	PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.W...
2	PROGRAMDATA	C:\ProgramData
3	PROGRAMFIL...	C:\Program Files (x86)

Get Host Name



Run Garbage Collector



```
INFO RunGarbageCollectorNodeModel
```

Memory Status before GC:
Free memory: 566 MB
Used memory: 1414 MB
Allocated memory: 1981 MB
Running Garbage Collection...
Free memory: 1909 MB
Used memory: 86 MB
Allocated memory: 1996 MB
Max. available memory: 1996 MB

SettingsModelStringArrayFlowVariableReplacable



Implementation details

```
public class SettingsModelStringArrayFlowVarReplacable extends SettingsModelString
    implements SettingsModelFlowVariableCompatible {

    ...
    /* CONSTRUCTORS */
    SettingsModelStringArrayFlowVarReplacable(String, String[]) //Standard delimiter ();
    SettingsModelStringArrayFlowVarReplacable(String, String[], String) //User-defined delimiter

    public String[] getStringArrayValue() {
        String stringValue = super.getStringValue();
        if (stringValue == null) {
            return null;
        }
        if ("\".equals(stringValue)) {
            return new String[0];
        }
        ... PROCESS TO AN ARRAY HERE ...
    }

    public void setStringValue(String[] values) {
        String stringVal;
        ...
        super.setStringValue(stringVal);
    }

    /**
     * @return The delimiter used for serialization of Arrays to Strings and
     *         vice versa
     */
    public String getDeliminator()
```